

SIGNING NOTES

- 1. ALL SIGNS AND POSTS LOCATED WITHIN THE SIGNING LIMITS ARE TO BE REMOVED UNLESS OTHERWISE DIRECTED BY THE ENGINEER OR INDICATED ON THE PLANS. THIS WORK WILL BE PAID FOR UNDER ITEM NO. 1206023A "REMOVAL AND RELOCATION OF EXISTING SIGNS"
- 2. SIGNS SHALL BE INSTALLED IN ACCORDANCE WITH TRAFFIC STANDARD SHEETS TR-1208_01 "SIGN PLACEMENT AND RETROREFLECTIVE STRIP DETAILS" AND TR-1208_02 "METAL SIGN POSTS AND SIGN MOUNTING DETAILS" EXCEPT AS OTHERWISE NOTED ON THE PLANS.
- 3. THE TOWN SHALL MAINTAIN ALL SIGNS ON TOWN ROADS. CTDOT SHALL MAINTAIN ALL SIGNS ON STATE ROADS.
- 4. CTDOT SHALL MAINTAIN ALL STOP SIGNS ON TOWN ROADS AT INTERSECTIONS WITH STATE ROADS.
- 5. ALL STREET NAME SIGNS, TOWN-OWNED SIGNS AND PRIVATE SIGNS WITHIN THE PROJECT LIMITS SHALL BE RELOCATED ONTO NEW POSTS AS DIRECTED BY ENGINEER. THIS WORK IS PAYABLE UNDER ITEM NO. 1206023A - REMOVAL AND RELOCATION OF EXISTING SIGNS.
- 6. ALL EXISTING SIGNS OUTSIDE THE LIMITS OF SIGNING ARE TO REMAIN UNLESS OTHERWISE INDICATED ON THE PLAN OR DIRECTED BY ENGINEER.
- 7. EXACT LOCATIONS OF SIGNS TO BE VERIFIED BY ENGINEER.
- 8. SIGNS SHALL BE AT LEAST 10-FEET FROM UTILITY POLES, UNLESS OTHERWISE DIRECTED.
- 9. "NO PARKING" SIGNS SHALL BE INSTALLED AT AN ANGLE BETWEEN 30° AND 45° FROM THE ADJACENT TRAVELWAY.
- 10. "SEE DRAWING TR-GS_01 "SIGN FACE SHEET ALUMINUM R-SERIES SIGNS TYPICAL DETAILS" FOR CUSTOM SIGNS.



└LEFT TURN ARROW - WHITE (TYP.)

STA. 12+40

SPM-01

04.05

STA. 14+30

STA. 14+60

STA. 51+38


STA. 51+40

LIMIT OF SIGNING AND

PAVEMENT MARKINGS

LASTED SAVED BY: wkfrancis FILE NAME: W:\CADDesign_CTDOT_Projects\124-165\Traffic\Signing_Pvmt_Markings_Plans\April 2023 - Final Design\TR_CP_0124_0165_SPM-NEW.dgn

CHECKED BY: K. BROWN **PLOTTED DATE:** 6/16/2023




TRANSPORTATION

DRAWING TITLE: SIGNING AND PAVEMENT MARKING PLAN

04.06

DESIGNER/DRAFTER: W. FRANCIS CHECKED BY: K. BROWN


LASTED SAVED BY: wkfrancis FILE NAME: W:\CADDesign_CTDOT_Projects\124-165\Traffic\Signing_Pvmt_Markings_Plans\April 2023 - Final Design\TR_CP_0124_0165_SPM-NEW.dgn
PLOTTED DATE: 6/16/2023



- 1. FINAL PAVEMENT MARKINGS ARE TO BE EPOXY RESIN UNLESS OTHERWISE NOTED.
- 2. PAVEMENT MARKINGS SHALL BE INSTALLED IN ACCORDANCE WITH TRAFFIC STANDARD SHEETS TR-1210_04 "PAVEMENT MARKING LINES AND SYMBOLS" AND TR-1210_08 "PAVEMENT MARKINGS FOR NON FREEWAYS" EXCEPT AS OTHERWISE DIMENSIONED OR NOTED ON THE PLANS.
- 3. ALL PAVEMENT MARKINGS ON TOWN ROADS SHALL BE MAINTAINED BY THE TOWN OF SEYMOUR, ALL PAVEMENT MARKINGS ON STATE ROADS SHALL BE MAINTAINED BY THE CONNECTICUT DEPARTMENT OF TRANSPORTATION.
- 4. CTDOT SHALL MAINTAIN ALL STOP BARS ON TOWN ROADS AT INTERSECTIONS WITH STATE ROADS.
- 5. PAVEMENT MARKINGS ARE TO BE INSTALLED THROUGHOUT THE PROJECT TO THE LIMIT OF PAVEMENT MARKINGS OR AS DIRECTED BY ENGINEER.

LEGEND

- SINGLE POST-MOUNTED SIGN
- DOUBLE POST-MOUNTED SIGN
- EX = EXISTING
- PR = PROPOSED
- BAR TYPE CROSS WALK (16" BARS X 24" SPACES X 8'MN LENGTH) STATE MAINTAINED
 - BAR TYPE CROSS WALK (16" BARS X 24" SPACES X 8'MN LENGTH) TOWN MAINTAINED
- BAR TYPE CROSS WALK (16" BARS X 24" SPACES X 8'MN LENGTH) PROPERTY OWNER MAINTAINED



9. "NO PARKING" SIGNS SHALL BE INSTALLED AT AN ANGLE BETWEEN 30° AND 45° FROM THE ADJACENT TRAVELWAY.

10. "SEE DRAWING TR-GS_01 "SIGN FACE SHEET ALUMINUM R-SERIES SIGNS TYPICAL DETAILS" FOR CUSTOM SIGNS.

5. ALL STREET NAME SIGNS, TOWN-OWNED SIGNS AND PRIVATE SIGNS WITHIN THE PROJECT LIMITS SHALL BE RELOCATED

6. ALL EXISTING SIGNS OUTSIDE THE LIMITS OF SIGNING ARE TO REMAIN UNLESS OTHERWISE INDICATED ON

ONTO NEW POSTS AS DIRECTED BY ENGINEER. THIS WORK IS PAYABLE UNDER ITEM NO. 1206023A - REMOVAL AND



PROJECT NUMBER: 0124-0172 PROJECT DESCRIPTION: SPOT IMPROVEMENTS ON BANK STREET (ROUTE 67) AND RIVER STREET (ROUTE 313) DRAWING TITLE: SIGNING AND PAVEMENT MARKING PLAN

SPM-03 04.07

8. SIGNS SHALL BE AT LEAST 10-FEET FROM UTILITY POLES, UNLESS OTHERWISE DIRECTED.

RELOCATION OF EXISTING SIGNS.


THE PLAN OR DIRECTED BY ENGINEER.

EXACT LOCATIONS OF SIGNS TO BE VERIFIED BY ENGINEER.

CHECKED BY: K. BROWN

LEGEND

- SINGLE POST-MOUNTED SIGN
- •• DOUBLE POST-MOUNTED SIGN
- EX = EXISTING
- S BAR TYPE CROSS WALK (16" BARS X 24" SPACES X 8'MN LENGTH) STATE MAINTAINED
- T BAR TYPE CROSS WALK (16" BARS X 24" SPACES X 8'MN LENGTH) TOWN MAINTAINED



SIGNING NOTES

- 1. ALL SIGNS AND POSTS LOCATED WITHIN THE SIGNING LIMITS ARE TO BE REMOVED UNLESS OTHERWISE DIRECTED BY THE ENGINEER OR INDICATED ON THE PLANS. THIS WORK WILL BE PAID FOR UNDER ITEM NO. 1206023A "REMOVAL AND RELOCATION OF EXISTING SIGNS"
- 2. SIGNS SHALL BE INSTALLED IN ACCORDANCE WITH TRAFFIC STANDARD SHEETS TR-1208_01 "SIGN PLACEMENT AND RETROREFLECTIVE STRIP DETAILS" AND TR-1208_02 "METAL SIGN POSTS AND SIGN MOUNTING DETAILS" EXCEPT AS OTHERWISE NOTED ON THE PLANS.
- 3. THE TOWN SHALL MAINTAIN ALL SIGNS ON TOWN ROADS. CTDOT SHALL MAINTAIN ALL SIGNS ON STATE ROADS.
- 4. CTDOT SHALL MAINTAIN ALL STOP SIGNS ON TOWN ROADS AT INTERSECTIONS WITH STATE ROADS.
- 5. ALL STREET NAME SIGNS, TOWN-OWNED SIGNS AND PRIVATE SIGNS WITHIN THE PROJECT LIMITS SHALL BE RELOCATED ONTO NEW POSTS AS DIRECTED BY ENGINEER. THIS WORK IS PAYABLE UNDER ITEM NO. 1206023A - REMOVAL AND RELOCATION OF EXISTING SIGNS.
- 6. ALL EXISTING SIGNS OUTSIDE THE LIMITS OF SIGNING ARE TO REMAIN UNLESS OTHERWISE INDICATED ON THE PLAN OR DIRECTED BY ENGINEER.
- 7. EXACT LOCATIONS OF SIGNS TO BE VERIFIED BY ENGINEER.
- 8. SIGNS SHALL BE AT LEAST 10-FEET FROM UTILITY POLES, UNLESS OTHERWISE DIRECTED.
- 9. "NO PARKING" SIGNS SHALL BE INSTALLED AT AN ANGLE BETWEEN 30° AND 45° FROM THE ADJACENT TRAVELWAY.
- 10. "SEE DRAWING TR-GS_01 "SIGN FACE SHEET ALUMINUM R-SERIES SIGNS TYPICAL DETAILS" FOR CUSTOM SIGNS.

PAVEMENT MARKING NOTES

- 1. FINAL PAVEMENT MARKINGS ARE TO BE EPOXY RESIN UNLESS OTHERWISE NOTED.
- 2. PAVEMENT MARKINGS SHALL BE INSTALLED IN ACCORDANCE WITH TRAFFIC STANDARD SHEETS TR-1210_04 "PAVEMENT MARKING LINES AND SYMBOLS" AND TR-1210_08 "PAVEMENT MARKINGS FOR NON FREEWAYS" EXCEPT AS OTHERWISE DIMENSIONED OR NOTED ON THE PLANS.
- 3. ALL PAVEMENT MARKINGS ON TOWN ROADS AND THE PARKING STALLS ON ROUTE 67 SHALL BE MAINTAINED BY THE TOWN OF SEYMOUR. ALL PAVEMENT MARKINGS ON STATE ROADS SHALL BE MAINTAINED BY THE CONNECTICUT DEPARTMENT OF TRANSPORTATION WITH THE EXCEPTION OF THE PARKING STALLS.

DRAWING TITLE: SIGNING AND PAVEMENT MARKING PLAN

- 4. CTDOT SHALL MAINTAIN ALL STOP BARS ON TOWN ROADS AT INTERSECTIONS WITH STATE ROADS.
- 5. PAVEMENT MARKINGS ARE TO BE INSTALLED THROUGHOUT THE PROJECT TO THE LIMIT OF PAVEMENT MARKINGS OR AS DIRECTED BY ENGINEER.
- 6. CROSSWALKS INSTALLED ON TOWN ROADS TO BE MAINTAINED BY THE TOWN.



PROJECT DESCRIPTION: SPOT IMPROVEMENTS ON BANK STREET (ROUTE 67) AND RIVER STREET (ROUTE 313)

SPM-04 04.08

DESIGNER/DRAFTER: W. FRANCIS CHECKED BY: K. BROWN LASTED SAVED BY: wkfrancis FILE NAME: W:\CADDesign_CTDOT_Projects\124-165\Traffic\Signing_Pvmt_Markings_Plans\April 2023 - Final Design\TR_CP_0124_0165_SPM-NEW.dgn

